

(SRI H. M. CHANNABASAPPA)

4. raising of three masonry cart bridges in 40 to 65 miles to prevent backing up of water.

ಶ್ರೀ ಬಿ. ಪಿ. ಬೋರಯ್ಯ.—ಉಪಪ್ರಶ್ನೆಗಳನ್ನು ಕೇಳುವುದಿಲ್ಲ.

Supply of Materials to Chikballapur Electrical Division.

*Q.—411. Sri S. MUNI RAJU (Chickballapur).—

Will the Government be pleased to state :—

(a) the number of sanctioned estimates pending in Chickballapur Electrical Division for want of materials ;

(b) what steps have been taken to supply adequate materials ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Twenty-four.

(b) Orders have been placed for the materials required and arrangements are being made to procure them as early as possible.

Sri S. MUNI RAJU.—Since how long these estimates are pending ?

Sri M. N. NAGHNOOR.—Since April 1959.

Sri S. MUNI RAJU.—How long will it take to take them up ?

Sri M. N. NAGHNOOR.—That will depend upon the availability of the materials required. We have placed orders for the necessary materials and as soon as they are available, we will take steps to expedite them.

ಶ್ರೀ ಇ. ನಾರಾಯಣ ಗೌಡ.—ನೀರಾವರಿ ಪಂಪ್ ಸೆಟ್ಟುಗಳಿಗೆ ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಮಾಡುವುದಕ್ಕಾಗಿ ಕಳುಹಿಸಿರುವ ನೂರಾರು ಎಸ್ವಿಮೇಟಿಂಗ್‌ಗಳು ಇನ್ನೂ ಮಂಜೂರಾಗದೆ ಇರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

†ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಪಂಪ್‌ಸೆಟ್ಟುಗಳಿಗಾಗಿ ಅರ್ಡರ್‌ನ್ನು ಕೊಡಲಾಗಿದೆ. ಅವುಗಳು ಬಂದ ಕೂಡಲೇ ಸರಬರಾಜನ್ನು ಮಾಡಲು ತಕ್ಕ ವ್ಯವಸ್ಥೆ ಮಾಡಲಾಗಿದೆ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಎಲೆಕ್ಟ್ರಿಸಿಟಿಗೆ ಬೇಕಾದ ಕಬ್ಬಿಣದ ಕಂಬಗಳಿಗೆ ಬದಲಾಗಿ ನಿಮಿಂಟಿನ ಕಂಬಗಳನ್ನು ಉಪಯೋಗಿಸಬೇಕೆಂದು ಈಚೆಗೆ ಮಾದರಾಗಿದೆ. ಆದರೆ ಈ ಕಂಬಗಳನ್ನು ಡಿಪಾರ್ಟ್‌ಮೆಂಟು

ನವರು ಮಾಡುವುದಿಲ್ಲ ಮತ್ತು ಹೊರಗಡೆಯೂ ಸಿಕ್ಕುವುದಿಲ್ಲ ಎನ್ನುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಡಿಪಾರ್ಟ್‌ಮೆಂಟು ನವರು ಮಾಡಬೇಕು ಎಂದು ಪ್ರಯತ್ನ ಮಾಡುತ್ತಿದ್ದಾರೆ. ಆದರೆ ಕೆಲವು ವೇಳೆ ಕಬ್ಬಿಣ ಸಿಕ್ಕುವುದು ಅಲ್ಪಯುಗ ಕಷ್ಟವಾಗುತ್ತಿರುವುದರಿಂದ ವಿಳಂಬವಾಗಲು ಕಾರಣವಾಗಿದೆ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಕಬ್ಬಿಣ ಸರ್ಕಾರಕ್ಕೆ ಸಿಕ್ಕುವುದೂ ಕಷ್ಟವೇ ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಕೆಲವು ಕಾಲದಲ್ಲೂ ಹಾಗಾಗಿತ್ತು.

Sri C. J. MUCKANNAPPA.—For how many sets have you placed orders for materials ?

Sri M. N. NAGHNOOR.—It is said in the answer that at present we require immediately materials for supplying 24 I. P. sets.

ಶ್ರೀ ಜಿ. ವೆಂಕಟಪ್ಪ.—ಸರ್ಕಾರದಲ್ಲಿರುವ ಡಿಪಾರ್ಟ್‌ಮೆಂಟು ಸ್ಟೋರ್‌ಗಳಲ್ಲಿ ನುಮಾರು ಮೂರು ಕೋಟಿ ರೂಪಾಯಿಗಳಷ್ಟು ಬೆರೆ ಬಾಳುವ ಸಾಮಾನುಗಳಿದ್ದರೂ ಉಪಯುಕ್ತವಾದ ಕೆಲವು ಸಾಮಾನುಗಳು ಎಂದರೆ, ಕಂಬಗಳು, ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರುಗಳು, ಇವುಗಳಲ್ಲದ ಕಾರಣಗಳಿಂದ ಮತ್ತು ಅಭಾವದಿಂದಾಗಿ ಎಷ್ಟೋ ಏಸ್ವಿಮೇಟಿಂಗ್‌ಗಳು ಮಂಜೂರಾಗದೆ ಇರಲು ಕಾರಣವಾಗಿದೆಯಲ್ಲವೇ ?

Sri H. M. CHANNABASAPPA.—It is not so. It may be that we may have a lot of stores. Many of those materials will not be required in the routine course. Sometimes when there is a breakdown, a particular spare part or a particular machinery may be required.

Construction of Bolavanike-Holeyalu Road.

*Q.—489. Sri R. M. PATIL (Navalgund).—

Will the Government be pleased to state :—

whether they intend to take up the construction of a road joining Belavanike and Holeyalu so as to connect Holeyalu to Gadag ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

No. There is already an existing road between Alur and Gadag via Ron.